


CLEARFIELD, CHEST, READE & WHITE TOWNSHIPS			
REVISION NUMBER	REVISIONS	DATE	BY



FOR PIPE REPLACEMENTS AT:
SEG 0010 OFF 2756

FOLLOW
DETOUR
FOR

GLENDALE
LAKE

TEMPORARY SIGNAL MESSAGE
EB DETOUR OPERATIONS

PLACE ON SR 1021
FACING SB TRAFFIC

TRAFFIC CONTROL PLAN

CLEARFIELD, CHEST, READE & WHITE TOWNSHIPS			
REVISION NUMBER	REVISIONS	DATE	BY

TRAFFIC CONTROL PLAN

CLEARFIELD, CHEST, READE & WHITE TOWNSHIPS			
REVISION NUMBER	REVISIONS	DATE	BY



TRAFFIC CONTROL PLAN

CLEARFIELD, CHEST, READE & WHITE TOWNSHIPS			
REVISION NUMBER	REVISIONS	DATE	BY

TEMPORARY SIGNAL MESSAGE
EB DETOUR OPERATIONS
PLACE ON PA 53
FACING SB TRAFFIC

END
DETOUR
M4-8A
24"X18"

TEMPORARY SIGNAL MESSAGE
EB DETOUR OPERATIONS
PLACE AT 0050/2000
FACING WB TRAFFIC

TEMPORARY SIGNAL MESSAGE
EB DETOUR OPERATIONS
PLACE ON PA 53
FACING NB TRAFFIC

DETOUR B

- ① THESE SIGNS ARE TO BE INSTALLED
ON TYPE III BARRICADES.
-  SEE DETAIL A ON SHEET 1 OF 10
-  THESE SIGNS ARE TO BE ADJUSTED
ACCORDINGLY BASED ON LOCATION
OF PIPE REPLACEMENT ON SR 1021.

A horizontal timeline with a central point labeled '0'. To the left of '0' is the year '2000', and to the right is another '2000'. The timeline is represented by a bar with a black segment on the left and a white segment on the right, meeting at the center '0'.

APPROXIMATE DETOUR LENGTH = 18.25 MILES

TRAFFIC CONTROL PLAN

TO CROOKED RUN CAMPGROUND	USE PA 53 TO SR 1026
---------------------------------	----------------------------

① R11-3A
60"X30"

ROAD CLOSED
4 MILE AHEAD
LOCAL TRAFFIC ONLY

DETOUR

TURN LEFT

DETAIL E
NOT TO SCALE

USE SR1020
TO
SR 1021

LEGEND

```

FOR PIPE REPLACEMENTS AT:
SEG 0120 OFF 1647
UPD SEG 0120 OFF 1757

```

- THESE SIGNS ARE TO BE ADJUSTED
ACCORDINGLY BASED ON LOCATION
OF PIPE REPLACEMENT ON SR 1021.

TRAFFIC CONTROL PLAN